

THE LUVOIR ULTRAVIOLET MULTI- OBJECT SPECTROGRAPH (LUMOS): A' AND B

Kevin France & Brian Fleming
University of Colorado





F2F 7, 10 May 2018

LUMOS A -> A': What's new






- Reconfigured MOS channel, tried different internal configurations, returned to something similar to -A because of time constraints. Would like to push to rectangular FOV again to maximize MOS targets/field, add LSB mode
- **Peak effective Areas increased ~20 - 30%, # of shutters on sky decreased (~1200 -> 840 because of smaller FOV allocation). Spec Res is higher, ang res is ~slightly lower (but above spec)**
- FUV imager is ~done and HRS is mostly TBD, HRS design is straightforward (Garrett?)
- Per request, picked up some of ONIRS capability, R ~ 35K MOS from 400 – 1000 nm (red response is poor)



LUMOS-A': three channels (FUV, NUV/optical)


- Low/Med-res ($R = 500 \rightarrow 60K$), FUV and NUV/optical MOS. **FOV $\rightarrow 2' \times 2'$**

- FUV imager. **FOV = $2' \times 2'$**






- High-res ($R \geq 100K$) point source spectrograph (**complements CNES / POLLUX instrument**; at 20-40x higher sensitivity in unpolarized mode, > 100x higher sensitivity vs. polarized mode)

LUMOS A: Eff. Area



LUMOS A': Eff. Area







TO DO: LSB mode

$\lambda \sim 150 \text{ nm}$

$\langle R \rangle = 55\text{K}, \langle \theta \rangle = 19\text{mas}$

LUMOS A: Resolution

LUMOS A': Resolution





$\lambda \sim 120 \text{ nm}$

$\langle R \rangle = 44\text{K}$, $\langle \theta \rangle = 18\text{mas}$



LUMOS-A' Performance



Mode	Band (nm)	Res Pow (50% of FOV)	Ang Res (50% of FOV, mas)
G120M	100-140	44K	18
G150M	130-170	55K	19
G180M	160-200	56K	15
G155L	100-200	13K	24
G145LL	100-200	TBD	TBD
G300M	200-400	39K	7
G700M	400-1000	39K	10
FUV Img	100 - 200	N/A	13



$\lambda \sim 300 \text{ nm}$

$\langle R \rangle = 39\text{K}, \langle \theta \rangle = 7.5\text{mas}$



LUMOS A': Resolution



$\lambda \sim 600 \text{ nm}$


$\langle R \rangle = 39\text{K}, \langle \theta \rangle = 10\text{mas}$

LUMOS A': Resolution



LUMOS-A' and -B: TO DOs

- ① G145LL, LSB mode for G155L (R ~ 10K, "big" pixel/sr to reduce background)
 - ② HRS mode
 - ③ BEF analysis (NUV detectors)
- ① Received telescope package ~3 days ago, redesign of MOS underway
 - ② HRS and FUV imaging modes ?
 - ③ Mass, mass, and mass



LUMOS B: Mass challenges. Max total instrument mass: 200 – 250 kg

LUMOS-A	Mass CBE (kg)	% of total	LUMOS-B	Mass CBE (kg)	% of total	Scale Factor
270K LUMOS Truss Enclosure (LTE) Assembly	267.360	14.8%	270K LUMOS Truss Enclosure (LTE) Assembly	0.000	0.0%	0
280K LUMOS A1 Optical Bench Enclosure (OBE) Assembly	186.190	10.3%	280K LUMOS A1 Optical Bench Enclosure (OBE) Assembly	37.238	8.8%	0.2
280K Optical Bench Assembly	379.520	21.0%	280K Optical Bench Assembly	75.904	17.9%	0.2
Calibration System Assembly (mounted to Optical Bench)	15.104	0.8%	Calibration System Assembly (mounted to Optical Bench)	15.104	3.6%	1
Multi-Object Spectrograph Channel Assembly	237.577	13.2%	Multi-Object Spectrograph Channel Assembly	142.546	33.6%	0.6
FUV Imager Channel Assembly	234.821	13.0%	FUV Imager Channel Assembly	0.000	0.0%	0
FUV High Resolution Spectrometer Channel Assembly	29.521	1.6%	FUV High Resolution Spectrometer Channel Assembly	0.000	0.0%	0
Electrical Subassembly	48.500	2.7%	Electrical Subassembly	24.250	5.7%	0.5
Harness	116.577	6.5%	Harness	23.315	5.5%	0.2
Thermal Subsystem	195.574	10.8%	Thermal Subsystem	78.230	18.4%	0.4
Contamination Subsystem	7.500	0.4%	Contamination Subsystem	7.500	1.8%	1
Total	1718.243	95.2%	Total	404.087	95.2%	
5% Miscellaneous Hardware margin):	85.912	4.8%	5% Miscellaneous Hardware and no margin):	20.204	4.8%	
	1804.155	100.0%		424.291	100.0%	

Summary

LUV O I R has multiple primary science goals


- ① Habitable exoplanets & biosignatures
- ② Broad range of general astrophysics and Solar System observations

LUMOS meets the science requirements for COR and EXO

- Imaging and spectroscopy over $\sim 4\text{-}5$ arcmin², 100-400nm
- Peak $A_{\text{eff}} > 10^5$ cm² in FUV and $> 1.8 \times 10^5$ cm² in NUV
- Imaging Spectroscopy $\theta < 30$ mas at $R = 30,000\text{-}65,000$ across band
- BEF $\approx \text{few} \times 10^{-21}$ erg cm⁻² s⁻¹ Å⁻¹ in LowLow Mode


Wide range of capabilities to enable decades of future investigations and unexpected discoveries

LUMOS Performance



High-res ($R \geq 100K$) point source spectrograph

FUV imager



Prototypical Observation:

$F_{\lambda} \approx 1 \times 10^{-15} \text{ erg cm}^{-2} \text{ s}^{-1} \text{ \AA}^{-1}$
to $S/N = 25/\text{resel}$ in 5 hours

HST Comparison:

- 1) HST-COS @ $R = 17,000$
 $T_{\text{exp}} = 76 \text{ ks}$
- 2) HST-STIS @ $R = 114,000$
 $T_{\text{exp}} = 150 \text{ Ms} (\sim 5 \text{ yr})$

Filter	Bandpass
F110M	102 – 118 nm
F140M	130 – 150 nm
F160M	150 – 170 nm
G180M	170 – 190 nm
F150W	135 – 175 nm
Open	100 – 200 nm
“GALEX FUV”	$\sim 135 - 200 \text{ nm}$

Detector-limited 12.6 mas imaging over the entire FOV. Multi-layer filters have $\sim 85\%$ peak reflection in band, $\sim 1\%$ out of band (Rodreguez-De Marcos et al. 2016)




LUMOS Performance Summary: see France et al. 2017

power, bandpass, and angular resolution boxes, the *target value is on top*, the *average value at the center of the field delivered by the LUMOS design is beneath in bold and parentheses*, and the *average parameter value over 80% of the imaging field-of-view is beneath in bold, italics, and parentheses*. The lower number demonstrates that LUMOS achieves the spectral and spatial resolution goals across the majority of its spectral and spatial detector area.

<i>Instrument Parameter</i>	G120M	G150M	G180M	G155L	G145LL	G300M	FUV Imaging
Spectral Resolving Power	30,000 (42,000) <i>(30,300)</i>	30,000 (54,500) <i>(37,750)</i>	30,000 (63,200) <i>(40,750)</i>	8,000 (16,000) <i>(11,550)</i>	500 (500)	30,000 (40,600) <i>(28,000)</i>	Avg, cen of FOV Avg, 80% of FOV
Optimized Spectral Bandpass (Total)	100 – 140nm (92.5 – 147.4 nm)	130 – 170nm (123.4 – 176.6 nm)	160 – 200nm (153.4 – 206.6 nm)	100 – 200nm (92.0 – 208.2 nm)	100 – 200nm	200 – 400nm	100 – 200nm
Angular Resolution	50 mas (11 mas) <i>(17 mas)</i>	50 mas (15 mas) <i>(19.5 mas)</i>	50 mas (17 mas) <i>(24 mas)</i>	50 mas (15 mas) <i>(27.5 mas)</i>	100 mas (32 mas)	50 mas (8 mas) <i>(26 mas)</i>	25 mas (12.6 mas) <i>(12.6 mas)</i>
Temporal Resolution	1 <u>msec</u>	1 <u>msec</u>	1 <u>msec</u>	1 <u>msec</u>	1 <u>msec</u>	1 sec	1 <u>msec</u>
Peak Throughput	5% 7.5%	5% 7.5%	5% 7.5%	5% 7.5%	5% 7.5%	5% 12%	10% 11%
Field of View	2' × 2' (3' × 1.6')	2' × 2' (3' × 1.6')	2' × 2' (3' × 1.6')	2' × 2' (3' × 1.6')	2' × 2' (3' × 1.6')	2' × 2' (1.3' × 1.6')	2' × 2' (2' × 2')


LUMOS MOS Example Science Program: Surveying the Birthplace of Planets




LUMOS MOS Example Science

Surveying the Birthplace

- Map 5 regions in Orion from 1 – 10 Myr, 10s – 100s protoplanetary disks in each
- Every target field would return more data than all previous HST UV observations of disks combined
- Initial abundances for planetary atmospheres
- Influence of external stars
- Radial distribution of protoplanetary gas as a function of time



LUVOIR online simulation tools



<https://asd.gsfc.nasa.gov/luvoir/tools/>

LUVOIR

Large UV/Optical/IR Surveyor

Science Design Team Tools Events Participate Resources Technology Press

Tools

This page links to performance simulation and visualization tools for the LUVOIR mission, a future ultraviolet / optical / near-infrared observatory concept.

These widgets are experimental. If they are not working, email [Jason Tumlinson](#) (STScI). For the Planetary Spectrum Generator, email [Geronimo Villanueva](#) (GSFC).

Coronagraphic Spectra of Exoplanets

Simulate optical/near-IR reflection spectra of various exoplanets with realistic noise.

Multiplanet Yield Tool

Tool for visualizing yields of observed exoplanets (of various types) as function of basic mission parameters.

Planetary Spectrum Generator

Advanced tool for simulating spectra of Solar System bodies (with LUVOIR and other telescopes).

HDI Photometric ETC

Basic exposure time calculator for optical photometry in multi-band images.

LUMOS Spectroscopic ETC

Simple exposure time calculator for UV spectroscopy.

UV MOS Visualizer

See the impact of UV multi-object spectroscopy on the study of stellar clusters and their feedback.

High-Resolution Imaging

Examples of astronomical objects viewed with different sized telescopes.





Curator: J.D. Myers
NASA Official: Phil Newman

> Privacy Policy & Important Notices
> Contact NASA
> Page Last Updated: Fri, Dec 01, 2017

LUMOS Performance**


- $R \geq HST-COS$ everywhere in FOV
 - Extended source $R \sim 1/6$
 - point source R for filled slit
 - **~ 1200 shutters available per exposure in M & L modes**
 - (**~ 10,000 for G145LL**)



Angular resolution < STDT area

Mode	Band (nm)	Res Pow (50% of FOV)	Ang Res (50% of FOV, mas)
G120M	100-140	44K	18
G150M	130-170	55K	19
G180M	160-200	56K	15
G155L	100-200	13K	24
G145LL	100-200	TBD	---

LUMOS technology gaps

- Broadband mirror coatings for $\lambda > 100$ nm
 - Partial success already – work is moving in the right direction (also – ALD)
– environmental tests and scalability
- Large format photon counting detectors (FUV and NUV)
 - Cross-strip borosilicate MCPs
 - sCMOS or CCDs
- Low scatter (holographic) aberration correcting gratings 
- Microshutter Arrays for spectral multiplexing
- High groove efficiency, low scatter echelle gratings

LUMOS technology gaps



- Broadband mirror coatings for $\lambda > 100$ nm
 - Partial success already – work is moving in the right direction (also – ALD)
– environmental tests and scalability
- Large format photon counting detectors (FUV and NUV)
 - Cross-strip borosilicate MCPs
 - sCMOS or CCDs
- Low scatter (holographic) aberration correcting gratings 🍷
- Microshutter Arrays for spectral multiplexing
- High groove efficiency, low scatter echelle gratings

Broadband advanced coatings, large format detectors, and space-qualified MSAs all being developed and flight tested as part of NASA-supported Sounding Rocket missions, APRA programs, and Roman Technology Fellowships

(Pis – France, Green, McCandliss, Siegmund, Vallergera, Nikzad, Quijada, Fleming, and others)

LUMOS: Specs and Performance

	Microshutter Array Assembly (MSAA)	FUV MOS and Imager MCP	NUV MOS CMOS
FOV	1.6' x 3.0'	1.6' x 3.0'	1.6' x 1.3'
Element Size/ Resolution	100 x 200 um (pitch)	20 um (resel)	6.5 um (pixel)
Elements per Tile	840 x 420 shutters	10Kx10K resels	8192 x 8192
Tiles per Array	3 x 2	2 x 2 (Imager 1)	7 x 3
Detector Tile Dimensions	88.2mm x 85.7mm	200mm x 200mm	54mm x 55mm
Detector Package Dimensions	444mm x 316mm x 150mm	600mm x 600mm x 140mm	400mm x 200mm x 140mm




Sources:

- Gratings: HST COS (Heritage)
- MCP QE: HST COS, O. Siegmund
- CMOS QE: Nikzad et al. 2016
- eLiF Reflectivity: Fleming et al. 2016
- MSAA: JWST NIRSpec (Heritage)

LUMOS: Specs and Performance

	Microshutter Array Assembly (MSAA)	FUV MOS and Imager MCP	NUV MOS CMOS
FOV	1.6' x 3.0'	1.6' x 3.0'	1.6' x 1.3'
Element Size/ Resolution	100 x 200 um (pitch)	20 um (resel)	6.5 um (pixel)
Elements per Tile	840 x 420 shutters	10Kx10K resels	8192 x 8192
Tiles per Array	3 x 2	2 x 2 (Imager 1)	7 x 3
Detector Tile Dimensions	88.2mm x 85.7mm	200mm x 200mm	54mm x 55mm
Detector Package Dimensions	444mm x 316mm x 150mm	600mm x 600mm x 140mm	400mm x 200mm x 140mm



Sources:

- Gratings: HST COS (Heritage)
- MCP QE: HST COS, O. Siegmund
- CMOS QE: Nikzad et al. 2016
- eLIF Reflectivity: Fleming et al. 2016
- MSAA: JWST NIRSpec (Heritage)

Particle Background Reduction

The particle background at L2 is 3 – 5 times that in LEO. (!)

Measured by LRO-LAMP, interplanetary coast on ALICE spectrographs

This will dominate the Background Equivalent Flux (BEF) for the open-face MCPs and limit faint object spectroscopy, especially for extended objects.

We are adopting two strategies to mitigate the background:

ALD/Borosilicate glass plates, reduce sensitivity to MeV gamma-rays by $\sim 2 - 3$ ($\sim 5 - 10$ times lower dark rates in lab total)

(Anti-) Coincident detection/rejection

Particle Background Reduction

Very low MCP background ($\sim 0.03 \text{ cm}^{-2} \text{ sec}^{-1}$) is achievable with ALD MCPs. But having intrinsically low MCP background is not enough. It is often the case that the local high energy particle & gamma rates dominate.





Illustration of the anti-coincidence shield flown on the EURD instrument in 1997. 85% rejection of muon events in ground tests, MCP background rate $\sim 0.06 \text{ cm}^{-2} \text{ sec}^{-1}$ (Bowyer et al 1997).


The timing resolution with photon counting MCP detectors is at the 100ps level. High energy particle events look like single events and can be discriminated with high efficiency by amplitude rejection and by timing coincidence. A combination of radiation shielding, amplitude thresholding, coincidence timing rejection and intrinsically low background / gamma sensitivity could make background improvements of an order of magnitude.

LUMOS High-Resolution Channel: E135H



LUMOS High-Resolution Channel

Mechanically ruled baseline (~90 gr/mm).
TRL 7. **Holographic or ion-etched upgrade desired (TRL 2)**





100mm x 100mm
Cross-strip anode
TRL 5



Toroidally figured
low-line density (~350
gr/mm). J-Y. TRL 7

LUMOS High-Resolution Performance

- $R > 100,000$ over 1000 – 1600 Å bandpass
- Peak $A_{\text{eff}} \approx 45,000 \text{ cm}^2$ (throughput $\sim 4.5 \times \text{STIS E140H}$)
- $\text{BEF} \approx 5 \times 10^{-19} \text{ erg cm}^{-2} \text{ s}^{-1} \text{ \AA}^{-1}$ (ignoring echelle scatter)



POLLUX High-Resolution Performance



LUMOS High-Resolution Performance


Prototypical Observation:

$F_\lambda \approx 1 \times 10^{-15} \text{ erg cm}^{-2} \text{ s}^{-1} \text{ \AA}^{-1}$
to S/N = 25/resel in 5 hours


HST Comparison:

1) HST-COS @ R = 17,000
 $T_{\text{exp}} = 76 \text{ ks}$


2) HST-STIS @ R = 114,000
 $T_{\text{exp}} = 150 \text{ Ms} (\sim 5 \text{ yr})$



LUMOS FUV Imager



LUMOS Target Acquisition and BOP




LUMOS (Design team – Colorado, Engineering team – GSFC)

One of the three primary instruments voted on by the STDT at the second face-to-face meeting at Goddard in Aug 2016 (w/ HDI, coronagraph)

- First design for Architecture A (15m) complete
- Instrument Design Lab run (GSFC), May 15-19 2017
- LUMOS team has its own technology gap list, collaboration on development programs

“LUMOS-B” for 9m Architecture B beginning

LUMOS Instrument Bay



PM

BSF

LUMOS

- HST: 4.5 m²
- LUVOIR (Arch A): 134.8 m²
- LUVOIR (Arch B): ~54 m²



Aperture Ratio = $134.8 \text{ m}^2 / 4.5 \text{ m}^2 \approx 30x$

LUMOS Structure and Mechanical

LUMOS Truss Enclosure (LTE);
mounted with flexures
to Optical Bench;
composed of two halves;
square tubes (carbon composite)

170 K Radiator;
mounted to LTE;
alum. HC and facesheets

Graduate
research assistant
storage area



FWA1

FWA2

Electronics Radiator;
mounted to LTE;
alum. HC and facesheets





Figure 1 – Mechanical rendering of the LUMOS enclosure and optical system. The top figure shows the LUMOS instrument volume (in gray) and the optical components labeled. For reference, the length of the orange arrow is 3.6 meters. The lower figure is a side cutaway including ray bundles for the MOS and FUV imaging channels.



LUVOIR Overview

Large UV / Optical / Infrared Surveyor (LUVOIR)

A space telescope concept in tradition of Hubble


- Far-UV to Near-IR bandpass
- ~ 9 – 15 m aperture diameter
- Suite of imagers and spectrographs → broad program of exoplanet science and general astrophysics
- Serviceable and upgradable, largely GO observatory

“Space Observatory for the 21st Century”

Decades of science

Ability to answer questions we have not yet conceived

LUMOS: Specs and Performance



THE LUVOIR ULTRAVIOLET MULTI-OBJECT SPECTROGRAPH (LUMOS): INSTRUMENT OVERVIEW AND PERFORMANCE

Kevin France (PI – Colorado),
Brian Fleming (IS & deputy-PI,
Colorado),
Garrett West (GSFC),
Stephan McCandliss (JHU),
Matthew R. Bolcar (GSFC),
Walter Harris (Arizona),
Leonidas Moustakas (JPL),
John O'Meara (St. Michael's),
Ilaria Pascucci (Arizona),
Jane Rigby (GSFC),
David Schiminovich (Columbia),
Jason Tumlinson (STScI)



LUV O I R astrophysics science drivers

Characterizing the gas phase of the cosmos:

- IGM, CGM – H I, C III, C IV, O VI, Ne VIII
- ISM, Galaxies – Si II, Mg II, C II, C I, H, D, H₂, HD
- PPDs – C IV, H₂, CO, H₂O, CO₂, OH, CH₄
- Exoplanet atmospheric and exospheric markers - H I, O I, C II, Mg II, O₂, O₃, H₂

All of these are well-traced (often best-traced) in the UV (100 – 400nm)
CGM, galaxies, disks are often extended objects. (imaging, multi-object spec)
QSO tomography and disks require high velocity resolution (med/high-res)
Lyman Continuum and other low-brightness sources require large statistics
(high throughput, multi-object spec)

LUMOS requires multi-object, wide-field imaging spectroscopy capability with both high and low resolution modes, with sensitivity into the Lyman UV (at least to 100 nm).